



# Oregon

Kate Brown, Governor

Department of Environmental Quality  
Northwest Region Portland Office/Water Quality  
700 NE Multnomah Street, Suite 600  
Portland, OR 97232  
(503) 229-5263  
FAX (503) 229-6957  
TTY 711

February 8, 2021

Vanessa Lanas Medina  
Intel Corporation  
5200 NE Elam Young Pkwy  
Hillsboro, OR, 97124

**Re: Renewal of NPDES 1200-C Construction Stormwater General Permit**

Permit# 26295

File # 112761

**Project:** Intel Corporation - Ronler Acres, 2501 Nw 229th Ave, Hillsboro

DEQ has renewed your 1200-C permit coverage for the above-referenced site. This permit is valid until December 14, 2025 and is located on DEQ's website along with all forms and technical assistance:

<https://www.oregon.gov/deq/wq/wqpermits/Pages/Stormwater-Construction.aspx>

**Please read your permit carefully and comply with all permit requirements including:**

- By May 15, 2021, sites under 5 acres must have visual monitoring conducted by a person certified in a DEQ approved erosion and sediment control program (See Section 6.1).
- Revise the ESCP contents and site map to ensure that the requirements of this permit are addressed by February 15, 2021 (See Section 4).
- The addition of post-coverage phases within a proposed common plan of development will require separate 1200-C coverage (See Section 1.2.3).
- Inspect erosion and sediment controls daily when there is runoff; and once every 14 calendar days during active periods. Record these inspections and maintain records on site (See Section 6.2).
- Report to DEQ when major changes are made to your ESCP or when permit conditions are violated (See Section 5).

**Change in project owner or operator**

If the legally responsible entity for the site changes, permit coverage must be transferred to the new entity. Send the Permit Transfer form (found on the weblink above) with the transfer fee and DEQ will update permit coverage for the site.

**Terminate permit coverage to avoid fees**

To avoid paying additional fees, terminate permit coverage using the Notice of Termination form when soil disturbance is finished, soils are stabilized, and temporary erosion and sediment controls have been removed.

Please contact Blair Edwards, Stormwater Program Coordinator at (503) 229-5185 or by e-mail at [edwards.blair@deq.state.or.us](mailto:edwards.blair@deq.state.or.us) with any questions.

Respectfully,

A handwritten signature in cursive script that reads "Christine Svetkovich".

Christine Svetkovich  
Water Quality Manager